



Safety Data Sheet dated 11/4/2022, version 6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier
Trade name: PM-152 TEXNET
- 1.2. Relevant identified uses of the substance or mixture and uses advised against
Recommended use:
Washing and cleaning products.
Uses advised against:
No uses advised against.
- 1.3. Details of the supplier of the safety data sheet
Company:
BONET ESPECIALITATS HIDROQUÍMIQUES, S.L.U.
C/Holanda, 41. P.I. Pla de Llerona
Les Franqueses del Vallès (08520) (Spain)
Telf: (+34) 900 82 87 81, 93 846 53 36
Fax: (+34) 93 846 78 21
info@behqsl.com
Competent person responsible for the safety data sheet:
regulatory@behqsl.com
- 1.4. Emergency telephone number
In case of poisoning call the Spanish National Institute of Toxicology: +34 91 562 04 20

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture
EC regulation criteria 1272/2008 (CLP)
 Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.

 Danger, Eye Dam. 1, Causes serious eye damage.

Adverse physicochemical, human health and environmental effects:
No other hazards

- 2.2. Label elements
Hazard pictograms:



Danger

Hazard statements:
H314 Causes severe skin burns and eye damage.

Precautionary statements:
P102+P405 Keep out of reach of children. Store locked up.
P280 Wear protective gloves and eye/face protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:
PACK1 The packing must be featured by a safety lock for children.

Safety Data Sheet PM-152 TEXNET

PACK2 The packing must have tactile indications of danger for blind people.

Contains

Cloruro cuaternario de C12-14 alquil metilamina etoxilado de metilo
disodium metasilicate
tetrasodium ethylene diamine tetraacetate

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
$\geq 3\%$ - $< 5\%$	C9-11 Alcohol ethoxylate	CAS: 68439-46-3 EC: 931-514-1	 3.1/4/Oral Acute Tox. 4 H302  3.3/1 Eye Dam. 1 H318
$\geq 3\%$ - $< 5\%$	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	Index number: 603-096-00-8 CAS: 112-34-5 EC: 203-961-6 REACH No.: 01-21194751 04-44-XXXX	 3.3/2 Eye Irrit. 2 H319
$\geq 1\%$ - $< 3\%$	tetrasodium ethylene diamine tetraacetate	Index number: 607-428-00-2 CAS: 64-02-8 EC: 200-573-9 REACH No.: 01-21194867 62-27-XXXX	 3.3/1 Eye Dam. 1 H318  3.1/4/Oral Acute Tox. 4 H302
$\geq 1\%$ - $< 3\%$	disodium metasilicate	Index number: 014-010-00-8 CAS: 6834-92-0 EC: 229-912-9 REACH No.: 01-21194498 11-37-XXXX	 2.16/1 Met. Corr. 1 H290  3.2/1B Skin Corr. 1B H314  3.3/1 Eye Dam. 1 H318  3.8/3 STOT SE 3 H335
$\geq 0.5\%$ - $< 1\%$	Salt of glutamic acid	CAS: 51981-21-6 EC: 257-573-7 REACH No.: 01-21194936 01-38-XXXX	 2.16/1 Met. Corr. 1 H290

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Remove contaminated clothing immediately and dispose off safely.
OBTAIN IMMEDIATE MEDICAL ATTENTION.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.
Protect uninjured eye.

In case of Ingestion:

Safety Data Sheet PM-152 TEXNET

- Do NOT induce vomiting.
- In case of Inhalation:
Remove casualty to fresh air and keep warm and at rest.
- 4.2. Most important symptoms and effects, both acute and delayed
None
- 4.3. Indication of any immediate medical attention and special treatment needed
In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).
Treatment: None

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
Suitable extinguishing media:
Carbon dioxide, foam, dry power.
Extinguishing media which must not be used for safety reasons:
Direct water jet.
- 5.2. Special hazards arising from the substance or mixture
Do not inhale explosion and combustion gases.
Burning produces heavy smoke.
- 5.3. Advice for firefighters
Use suitable breathing apparatus .
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
Wear personal protection equipment.
Remove persons to safety.
See protective measures under point 7 and 8.
- 6.2. Environmental precautions
Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
Retain contaminated washing water and dispose it.
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
Wash with plenty of water.
- 6.4. Reference to other sections
See also section 8 and 13

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
Avoid contact with skin and eyes, inhalation of vapours and mists.
No smoking. Keep away from food, drink and animal feed.
Use appropriate personal protective equipment. Refer to paragraph 8.
Prevent entry of unauthorized persons.
Advice on general occupational hygiene:
Follow legislation on safety and health at work.
- 7.2. Conditions for safe storage, including any incompatibilities
As a general storage conditions, it should be avoided sources of heat, radiation, electricity and food contact. Store according to local legislation.
Store between 5 and 35 °C in a dry and well ventilated place.
None in particular.
Store into the original container. Keep the container properly sealed and labeled.

Safety Data Sheet PM-152 TEXNET

Keep away from incompatible materials: see paragraph 10.
7.3. Specific end use(s)
None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether - CAS: 112-34-5
EU - TWA(8h): 67.5 mg/m³, 10 ppm - STEL: 101.2 mg/m³, 15 ppm
ACGIH - TWA(8h): 10 ppm - Notes: (IFV) - Hematologic, liver and kidney eff
DNEL Exposure Limit Values
N.A.
PNEC Exposure Limit Values
N.A.
8.2. Exposure controls
Eye protection:
Use close fitting safety goggles, don't use eye lens.
Protection for skin:
Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.
Protection for hands:
Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.
Respiratory protection:
Not needed for normal use.
Thermal Hazards:
None
Environmental exposure controls:
None
Appropriate engineering controls:
None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid	--	--
Colour:	Light yellow	--	--
Odour:	Slightly characteristic	--	--
Odour threshold:	Not Relevant	--	--
Melting point/freezing point:	0 °C	--	--
Boiling point or initial boiling point and boiling range:	100 °C	--	--
Flammability:	N.A.	--	--
Lower and upper explosion limit:	Not applicable	--	--
Flash point:	Not applicable (aqueous solution)	--	--
Auto-ignition temperature:	Not applicable (not flammable)	--	--
Decomposition temperature:	Not available	--	--
pH:	12.5 - 13.5	--	--
Kinematic viscosity:	N.A.	--	--

Safety Data Sheet PM-152 TEXNET

Solubility in water:	Soluble in water in all proportions	--	--
Solubility in oil:	Not Relevant	--	--
Partition coefficient n-octanol/water (log value):	Not applicable (inorganic substance)	--	--
Vapour pressure:	Not available	--	--
Density and/or relative density:	1.017 - 1.042 (20 °C)	--	--
Relative vapour density:	Not available	--	--
Particle characteristics:			
Particle size:		--	--

9.2. Other information

Properties	Value	Method:	Notes:
Explosive properties:	No explosive	--	--
Evaporation rate:	Not available	--	--
Miscibility:	Not Relevant	--	--
Conductivity:	Not Relevant	--	--
Oxidizing properties:	Non oxidizing	--	--
Fat Solubility:	Not Relevant	--	--

SECTION 10: Stability and reactivity

- 10.1. Reactivity
 - Stable under normal conditions
- 10.2. Chemical stability
 - Stable under normal conditions
- 10.3. Possibility of hazardous reactions
 - None
- 10.4. Conditions to avoid
 - Avoid excessive heat for prolonged periods.
- 10.5. Incompatible materials
 - Strong oxidizing and reducing agents, acids and alkalis. Metals.
- 10.6. Hazardous decomposition products
 - Oxides of phosphorus.

SECTION 11: Toxicological information

- 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008
 - Toxicological information of the product:
 - N.A.
 - Toxicological information of the main substances found in the product:
 - C9-11 Alcohol ethoxylate - CAS: 68439-46-3
 - a) acute toxicity:
 - Test: LD50 - Route: Oral - Species: Rat = 2000 mg/kg
 - tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8
 - a) acute toxicity:
 - Test: LD50 - Route: Oral - Species: Rat = 1780-2000 mg/kg
- If not differently specified, the information required in Regulation (EU)2020/878 listed below must be considered as N.A.:
- a) acute toxicity;
 - b) skin corrosion/irritation;
 - c) serious eye damage/irritation;
 - d) respiratory or skin sensitisation;
 - e) germ cell mutagenicity;

Safety Data Sheet PM-152 TEXNET

- f) carcinogenicity;
 - g) reproductive toxicity;
 - h) STOT-single exposure;
 - i) STOT-repeated exposure;
 - j) aspiration hazard.
- 11.2. Information on other hazards
- Endocrine disrupting properties:
- No endocrine disruptor substances present in concentration $\geq 0.1\%$

SECTION 12: Ecological information

- 12.1. Toxicity
- Adopt good working practices, so that the product is not released into the environment.
- C9-11 Alcohol ethoxylate - CAS: 68439-46-3
- a) Aquatic acute toxicity:
- Endpoint: LC50 - Species: Onchorhynchus mykiss > 1-10 mg/l - Duration h: 96 - Notes: OECD 203
- Endpoint: EC50 - Species: Daphnia > 1-10 mg/l - Duration h: 48
- Endpoint: EC50 - Species: Algae > 1-10 mg/l - Duration h: 72
- tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8
- a) Aquatic acute toxicity:
- Endpoint: LC50 - Species: Lepomis macrochirus > 100 mg/l - Duration h: 96 - Notes: EPA method 1975
- Endpoint: EC50 - Species: Daphnia > 100 mg/l - Duration h: 24 - Notes: DIN38412, part 1
- Endpoint: EC50 - Species: Scenedesmus subspicatus > 100 mg/l - Duration h: 72 - Notes: EDTANA4 read-across
- disodium metasilicate - CAS: 6834-92-0
- a) Aquatic acute toxicity:
- Endpoint: LC50 - Species: Fish = 2320 mg/l - Duration h: 96 - Notes: ISO 7346-1
- Endpoint: EC50 - Species: Daphnia = 1700 mg/l - Duration h: 48 - Notes: Method EU C.2
- 12.2. Persistence and degradability
- C9-11 Alcohol ethoxylate - CAS: 68439-46-3
- Biodegradability: Easily biodegradable
- tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8
- Biodegradability: Easily biodegradable
- disodium metasilicate - CAS: 6834-92-0
- Biodegradability: Not persistent and Biodegradable
- Salt of glutamic acid - CAS: 51981-21-6
- Biodegradability: Easily biodegradable
- 12.3. Bioaccumulative potential
- C9-11 Alcohol ethoxylate - CAS: 68439-46-3
- Bioaccumulation: Not bioaccumulative
- 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether - CAS: 112-34-5
- Bioaccumulation: Not much bioaccumulative - Test: Kow - Partition coefficient 0.56
- tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8
- Bioaccumulation: Not bioaccumulative
- Salt of glutamic acid - CAS: 51981-21-6
- Bioaccumulation: Not bioaccumulative
- 12.4. Mobility in soil
- N.A.
- 12.5. Results of PBT and vPvB assessment
- vPvB Substances: None - PBT Substances: None
- 12.6. Endocrine disrupting properties
- No endocrine disruptor substances present in concentration $\geq 0.1\%$
- 12.7. Other adverse effects

Safety Data Sheet PM-152 TEXNET

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force. Waste should not be disposed of through the sewer.

SECTION 14: Transport information

14.1. UN number or ID number

ADR-UN number:	3267
IATA-Un number:	3267
IMDG-Un number:	3267

14.2. UN proper shipping name

ADR-Shipping Name:	Corrosive liquid, basic, organic, n.o.s. (Tetrasodium ethylene diamine tetraacetate, Salt of glutamic acid), 8, III, (E)
IATA-Technical name:	Corrosive liquid, basic, organic, n.o.s. (Tetrasodium ethylene diamine tetraacetate, Salt of glutamic acid), 8, III, (E)
IMDG-Technical name:	Corrosive liquid, basic, organic, n.o.s. (Tetrasodium ethylene diamine tetraacetate, Salt of glutamic acid), 8, III, (E)

14.3. Transport hazard class(es)

ADR-Class:	8
ADR-Label:	8
IATA-Class:	8
IATA-Label:	8
IMDG-Class:	8

14.4. Packing group

ADR-Packing Group:	III
IATA-Packing group:	III
IMDG-Packing group:	III

14.5. Environmental hazards

Marine pollutant:	No
-------------------	----

14.6. Special precautions for user

IMDG-Technical name:	Corrosive liquid, basic, organic, n.o.s. (Tetrasodium ethylene diamine tetraacetate, Salt of glutamic acid), 8, III, (E)
----------------------	--

14.7. Maritime transport in bulk according to IMO instruments

No

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)
 Dir. 2000/39/EC (Occupational exposure limit values)
 Regulation (EC) n. 1907/2006 (REACH)
 Regulation (EC) n. 1272/2008 (CLP)
 Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
 Regulation (EU) n. 2020/878
 Regulation (EU) n. 286/2011 (ATP 2 CLP)
 Regulation (EU) n. 618/2012 (ATP 3 CLP)
 Regulation (EU) n. 487/2013 (ATP 4 CLP)
 Regulation (EU) n. 944/2013 (ATP 5 CLP)
 Regulation (EU) n. 605/2014 (ATP 6 CLP)
 Regulation (EU) n. 2015/1221 (ATP 7 CLP)
 Regulation (EU) n. 2016/918 (ATP 8 CLP)
 Regulation (EU) n. 2016/1179 (ATP 9 CLP)
 Regulation (EU) n. 2017/776 (ATP 10 CLP)

Safety Data Sheet PM-152 TEXNET

Regulation (EU) n. 2018/669 (ATP 11 CLP)
 Regulation (EU) n. 2018/1480 (ATP 13 CLP)
 Regulation (EU) n. 2019/521 (ATP 12 CLP)
 Regulation (EU) n. 2020/217 (ATP 14 CLP)
 Regulation (EU) n. 2020/1182 (ATP 15 CLP)
 Regulation (EU) n. 2021/643 (ATP 16 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restrictions related to the substances contained:

Restriction 55

Restriction 75

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Hazard class and hazard category	Code	Description
Met. Corr. 1	2.16/1	Substance or mixture corrosive to metals, Category 1
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3

This safety data sheet has been completely updated in compliance to Regulation 2020/878.

Paragraphs modified from the previous revision:

SECTION 1: Identification of the substance/mixture and of the company/undertaking

SECTION 2: Hazards identification

SECTION 3: Composition/information on ingredients

SECTION 7: Handling and storage

SECTION 9: Physical and chemical properties

SECTION 11: Toxicological information

SECTION 12: Ecological information

SECTION 14: Transport information

SECTION 15: Regulatory information

Safety Data Sheet PM-152 TEXNET

SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Corr. 1A, H314	Calculation method
Eye Dam. 1, H318	Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.