

LED AP

Pool lighting from Pahlén

- Supplied as a complete unit with a niche for simple installation.
- Colour synchronization with installation of more than one RGB light through mutual transformer.
- All lights can be remote controlled, available as an option.

Nominal input voltage: 12 VAC 50/60 Hz.



Products from Pahlén Pool System, for a trouble-free pool ownership.

For more information: www.pahlen.com





Classic 170

Classic

Item no.	Type	W	Lumen	Kelvin	Program
150283	A 170AP-RGB*	75	3000	-	14
150293	CA 170AP-RGB*	75	3000	-	14




Marine 170

Marine

Item no.	Type	W	Lumen	Kelvin	Program
124283	A 170AP-RGB*	75	3000	-	14
124293	CA 170AP-RGB*	75	3000	-	14

Kelvin Scale in 1 000



Classic 350

Classic 40

Item no.	Type	W	Lumen	Program
125847	CA-40 50AP-RGB*	10	400	14
125842	CA-350 50AP-RGB*	10	400	14



Marine 350

Marine 40

Item no.	Type	W	Lumen	Program
124847	CA-40 50AP-RGB*	10	400	14
124842	CA-350 50AP-RGB*	10	400	14

* all color programs are dimmable if PLP-REM or PLP-REM-300 are used (in PLC mode)



Item no.	Concrete bulding blocks up to 250 mm	Concrete without sealing membrane up to 250 mm	Concrete with cement based sealing membrane up to 250 mm	Composite material (GRP/PP) up to 16 mm
150283		x		
150293	x (+ 112900)		x (+ 822610)	x (15530127)
125847		x (+ 12670)		x (15530111)
125842	x		x (+ 822600)	x (15530111)
124283		x		
124293	x (+ 112900)		x (+ 822610)	x (15530127)
124847		x (+ 12670)		x (15530111)
124842	x		x (+ 822600)	x (15530111)

Classic





Marine

Accessories

Item no	
Controller / remote	
150120	Control box PLP-REM VS/AP
150130	Control box PLP-REM-300 VS/AP incl. transformer 300VA
150140	Remote control DLT10-RGB AP
Cable conduit	
12330	L = 900 mm.
12854	Jointing sleeve
Transformer	
122736	TR150-IP64 150VA
122737	TR350-IP64 350VA
122738	TR700-IP64 700VA

Item no	
Junction box	
12310	Stainless steel junction box
Niche fixtures	
112900	For lights and skimmers, set of 4.
15530127	Assembly kit fibre glass/PP pool
15530110	Assembly kit fibre glass/PP pool
822600	Concrete-kit Waterproofing with membrane
822610	Concrete-kit Waterproofing with membrane
822110	Mounting plate
822140	Mounting plate




EPS/ISO blocks construction	Steel panel construction	Wood construction	Wood/concrete construction
			
Reinforced with concrete in combination with liner 0,75 - 2 mm	In combination with liner 0,75 - 2 mm	In combination with liner 0,75 - 2 mm	In combination with liner 0,75 - 2 mm
Building blocks up to 250 mm	Steel panels up to 3 mm	Plywood 12 mm	Wood 32 - 70 mm Prefabricated concrete 50 - 250 mm
x (+112900)	x	x	x (+ 822110)
	x	x	x (+ 822145)
x	x	x	x (+ 822145)
x (+112900)	x	x	x (+ 822110)
	x	x	x (+ 822145)
x	x	x	x (+ 822145)

LED 170AP

Colour programs




1. DEEP BLUE SEA
Fixed Deep blue



2. DAYLIGHT BLUE
Fixed Light blue



3. SUNSET
Fixed Orange red



4. LOVE IS IN THE AIR
Fixed Red



5. FOREST SPRING
Fixed Green



6. THINK PINK
Fixed Pink



7. SUNSHINE
Fixed Yellow



12. WARM WHITE
Fixed Warm white



13. NEUTRAL WHITE
Fixed Neutral white



14. SUN WHITE
Fixed Sun white

Dynamic programs

8. JUNGLE BEACH

Slow shifting deep blue, light blue, azur blue, mid blue and light blue.

9. VODOO

Slow shifting red, wine red, purple and bordeaux.

10. DISCO

Fast shifting purple, pink, peach, light yellow, light green and light blue.

11. PARTY

Fast shifting blue, azur blue, green, green/red, red blue, purple, light pink, peach, yellow, light green and light blue.



The pool in the pictures has a white liner.